

## SUBJECT INDEX

### Taxonomy, Body proportion and Osteology

- Balaena mysticelus* 22: 45–62, 34: 49–57  
*Eubalaena glacialis* 13: 1–52, 21: 1–78, 21: 79–84, 23: 71–81, 30: 249–251  
*Eschrichtius robustus* 22: 29–37, 26: 1–14, 35: 195–197  
*Balaenoptera musculus* 7: 125–183  
*B. musculus brevicauda* 22: 1–27, 35: 199–203  
*B. physalus* 7: 125–183, 9: 121–163, 12: 127–189, 15: 17–84, 16: 29–34  
*B. borealis* 9: 89–103, 14: 1–33, 23: 83–89  
*B. edeni* 9: 89–103, 14: 1–33, 16: 1–5, 16: 7–18, 31: 85–92, 33: 1–26, 39: 21–29  
*B. acutorostrata* 11: 1–37, 12: 1–21, 19: 37–43, 22: 75–125, 27: 1–36, 28: 57–68, 28: 69–72, 36: 1–33, 38: 1–46, 39: 11–19  
*Megaptera novaeangliae* 7: 125–183, 14: 49–87, 36: 165–168  
odontocete 38: 117–124  
*Physeter catodon* 7: 125–183, 11: 47–83, 16: 35–45, 17: 1–14  
*Kogia* sp. 9: 37–58  
*K. breviceps* 33: 119–124, 35: 183–193  
*K. simus* 38: 171–186  
*Tasmacelus shepherdi* 28: 127–128  
*Mesoplodon ginkgodens* 13: 53–83, 24: 43–56  
*M. densirostris* 23: 129–137  
*M. stejnegeri* 14: 35–48, 28: 107–117, 38: 91–105  
*M. bowdoini* 16: 61–77  
*M. grayi* 38: 107–115  
*M. sp.*, 16: 79–82, 37: 103–107  
*Ziphius* sp. 37: 109–127  
*Ziphius cavirostris* 24: 1–34  
*Berardius* 27: 111–137  
*B. bairdii* 10: 89–132  
*Hyperoodon planifrons* 28: 119–126  
*Peponocephala electra* 19: 91–104, 20: 95–100  
*Feressa attenuata* 9: 59–88, 19: 65–90  
*Orcinus orca* 26: 255–258  
*Globicephala macrorhynchus* and *G. melaena* 27: 95–110, 39: 91–102  
*Globicephala macrorhynchus* 32: 67–95, 32: 145–148  
*Lagenodelphis hosei* 25: 251–263, 30: 231–244  
*Stenella attenuata* 19: 53–64  
*S. spp.* 28: 129–135  
*Phocoena dioptrica* 35: 159–164  
*Platanistoidea* 34: 93–108, 35: 173–181  
*Platanista gangetica* 24: 87–108  
Small cetaceans; Tierra del Fuego 30: 197–230  
*Mirounga leonina* 20: 211–212  
Systematic study  
Pelvic bone 5: 5–15, 30: 271–279, 32: 25–37  
Hyoid bone, baleen whales 18: 149–170  
*Balaenoptera acutorostrata* 26: 15–24  
*Phoca* 26: 313–320  
Sternum and clevice  
*Stenella coruleoalba* 30: 253–269  
*Megaptera novaeangliae* 30: 253–269  
Tympano-periotic bone, toothed whales 25: 1–103  
Vertebrae, baleen whales 23: 61–69  
Skull and other characteristics, delphinidae 17: 93–103, 18: 171–172  
Secondary sexual character  
*Balaenoptera physalus* 16: 29–34  
*Physeter catodon* 20: 89–94  
Karyotype  
*Balaenoptera borealis* 20: 83–88  
Isoenzyme 38: 141–163, 39: 91–101

### Anatomical and Histological study

- Brain, *Physeter* 6: 49–72  
*Stenella* 26: 245–253  
*Platanista* 32: 105–126  
*Eubalaena* 36: 49–87  
Spinal cord, *Eubalaena* 13: 231–251  
Physeteridae 35: 47–56  
Trigeminal nerve, Physeteridae 35: 47–56  
Dorsal vagal nucleus, *Physeter* 25: 241–249  
Acoustic system 2: 1–20, 21: 95–123  
Organ of hearing 2: 21–30, 8: 1–79  
Labyrinth 14: 291–304  
Sinus hair, *Balaenoptera borealis* 1: 41–47  
Sensory tubercle, lip 3: 1–16  
Lingual margin 28: 137–140  
Taste buds, *Stenella* 30: 285–290  
Tongue, Sirenia 32: 127–144  
Head section, *Stenella* 19: 105–133  
Extrinsic eye muscle 6: 1–33  
Masseter, *Megaptera* 17: 49–52  
Heart, conducting system 9: 11–35  
cardiac nerve, *Berardius* 7: 1–22  
Larynx 3: 23–62  
Air-sac, *Histriophoca* and *Phoca* 29: 129–135  
Lung 6: 35–47  
Parathyroid, *Platanista* 30: 281–284  
Abdominal cavity, iconography 5: 17–39  
Hepato-pancreatic, *Imia* 36: 89–95  
Stomach 23: 91–101, *Imia* 33: 69–81

- Renculi 13: 253–267  
 Anal tonsil, Platanistidae 29: 95–100  
 Ovary 38: 75–89  
 Corpus luteum, *Callorhinus* 29: 121–128  
 Red bone marrow, *B. physalus* 3: 17–22  
 Embryo, *Stenella* 10: 1–68, 16: 83–87  
 Size of cell 13: 269–301  
 Epidermal cyst 31: 93–94  
 Small cetaceans; Tierra del Fuego 30: 197–230  
*Mirounga leonina* 20: 211–212  
 Systematic study  
 Pelvic bone 5: 5–15, 30: 271–279, 32: 25–37  
 Hyoid bone, baleen whales 18: 149–170  
   *Balaenoptera acutorostrata* 26: 15–24  
   *Phoca* 26: 313–320  
 Sternum and clevicele  
   *Stenella coruleoalba* 30: 253–269  
   *Megaptera novaeangliae* 30: 253–269  
 Tympano-periotic bone, toothed whales 25: 1–103  
 Vertebrae, baleen whales 23: 61–69  
 Skull and other characteristics, delphinidae 17: 93–103, 18: 171–172  
 Secondary sexual character  
   *Balaenoptera physalus* 16: 29–34  
   *Physeter catodon* 20: 89–94  
 Karyotype  
   *Balaenoptera borealis* 20: 83–88  
 Isoenzyme 38: 141–163, 39: 91–102

### Body and organ weight

- Eubalaena glacialis* 13: 1–52, 21: 1–78  
*Balaenoptera musculus* 3: 132–190, 4: 184–209, 125–183  
*B. musculus brevicauda* 22: 1–27  
*B. physalus* 3: 132–190, 4: 184–209, 7: 125–183  
*B. borealis* 4: 1–13  
*B. edeni* 10: 133–141  
*B. acutorostrata* 22: 75–125  
*Megaptera novaeangliae* 7: 125–183, 14: 49–87  
*Physeter catodon* 4: 1–13, 7: 125–183  
*Mesoplodon ginkgodens* 24: 43–56  
*Lagenodelphis hosei* 25: 251–263  
*Stenella attenuata* 26: 157–226  
*S. coruleoalba* 33: 27–67  
*Platanista gangetica* 24: 87–108, 26: 265–270  
*Pontoporia blainvillei* 26: 265–270  
*Mirounga leonina* 20: 211–212  
*Dugong dugon* 31: 129–132

### Age determination

- Crystalline lens 3: 132–190, 4: 115–161  
 Baleen plates 4: 162–183, 6: 133–152

- Ear plug 12: 23–32, 14: 107–135, 17: 37–48, 18: 29–48  
 Baleen whales 7: 87–119  
*Balaenoptera physalus* 13: 155–169, 18: 49–88, 20: 17–82  
*B. acutorostrata* 37: 17–30  
*Physeter catodon* 13: 135–153, 17: 15–35, 20: 1–16  
*Berardius bairdii* 29: 1–20  
*Globicephala* spp. 35: 57–91, 39: 103–119  
*Tursiops truncatus* 32: 39–66  
*Stenella caeruleoalba* 8: 133–146, 24: 57–79, 28: 73–106, 29: 21–48  
   *S. attenuata* 26: 157–226, 28: 73–106  
*Platanista gangetica* 24: 87–108  
*Pontoporia blainvillei* 31: 45–67  
*Collorhinus ursinus* 17: 191–195  
*Dugong dugon* 30: 301–310  
*Phoca kurilensis* 33: 131–135

### Population study

- Balaena mysticetus* 35: 1–16  
*Eubalaena glacialis* 13: 1–52, 21: 1–78  
*Eschrichtius robustus* 5: 71–79, 13: 201–205, 22: 29–37, 22: 39–43, 26: 1–14, 39: 1–9  
*Balaenoptera musculus* 3: 132–190, 4: 27–113, 5: 91–167, 6: 73–131, 7: 125–183, 8: 147–213, 37: 155–165  
*B. physalus* 3: 119–131, 3: 132–190, 4: 27–113, 5: 91–167, 6: 73–131, 7: 125–183, 8: 147–213, 11: 85–98, 12: 103–125, 13: 97–133, 13: 145–169, 15: 85–142, 17: 53–65, 18: 1–27, 18: 49–88, 34: 59–91, 37: 1–16  
*B. borealis* 3: 119–131, 4: 27–113, 9: 89–103, 22: 63–74, 34: 59–91, 37: 47–60  
*B. edeni* 3: 106–118, 3: 119–131, 9: 89–103, 9: 165–177, 10: 79–87, 14: 1–33, 16: 7–18, 28: 1–35, 30: 291–300, 34: 59–91  
*B. acutorostrata* 11: 1–37, 11: 181–189, 19: 37–43, 22: 75–125, 37–59, 35: 17–38, 36: 1–34, 36: 35–39, 38: 47–73, 39: 11–19  
*Megaptera novaeangliae* 4: 27–113, 6: 73–131, 7: 125–183, 8: 81–102, 8: 147–213, 14: 49–87, 15: 1–16, 16: 19–28, 29: 59–85, 30: 245–247, 37: 31–46  
*Physeter catodon* 3: 106–118, 3: 119–131, 4: 27–113, 6: 153–165, 7: 121–124, 7: 125–183, 8: 147–213, 10: 143–149, 11: 39–46, 13: 135–153, 17: 15–35, 19: 1–35, 20: 1–16, 23: 1–25, 35: 39–46, 37: 167–172, 39: 31–75  
*Ziphius cavirostris* 10: 89–132, 24: 35–41  
*Berardius* 27: 111–137  
*B. bairdii* 10: 89–132, 13: 213–214, 23: 111–122, 29: 1–20, 37: 61–83  
*Mesoplodon grayi* 38: 107–115

- Odontoceti* 34: 1–47  
*Oreinus orca* 13: 85–96  
*Globicephala* spp. 27: 95–110, 35: 57–91, 36: 97–106, 39: 77–90, 39: 103–119  
*Stenella coeruleoalba* 12: 191–192, 22: 159–162, 24: 57–79, 26: 227–243, 28: 73–106, 29: 21–48, 30: 65–115, 36: 107–138  
*S. attenuata* 26: 157–226, 26: 226–243, 28: 73–106, 36: 107–138  
*Lagenorhynchus obliquidens* 35: 129–157  
*Lagenodelphis hosei* 30: 231–244  
*Phocoenoides dalli* 30: 1–64, 35: 93–105, 35: 107–128, 36: 139–152, 37: 99–102, 38: 125–140, 39: 121–150  
*Neophocaena phocaenoides* 31: 1–44  
*Cephalorhynchus commersonii* 32: 149–154, 36: 153–164  
*Platanista gangetica* 24: 87–108, 24: 109–115, 27: 81–94, 29: 87–94  
*Pontoporia blainvillei* 31: 45–67  
 School, baleen whales 18: 89–110  
 Corpora albicantia 18: 123–148  
 Virginal band 21: 85–94  
 Counting and measuring, baleen and ventral grooves 25: 279–292  
 Baleen, function 28: 37–55  
 Underwater sound 23: 123–128, 33: 83–117  
 Epimeletic behavior 28: 141–143  
 Marking dolphin 20: 101–107, 24: 81–85  
 Human activity disturbing whales 29: 113–120  
 History, whaling 21: 125–129  
 Color pattern, *Phoca* 25: 301–310  
 Growth, *Phoca* 24: 127–144  
   *Tursiops* 37: 85–97  
   *Neophocaena* 37: 85–97  
 Foods, *Phoca* 34: 123–136  
 Maturity, *Phoca* 37: 173–178  
 Pelage, *Historiophoca* 28: 187–197  
 Occurrence, phocid seals 28: 175–185, 39: 151–157  
 Distribution, *Phoca* 31: 105–119  
   *Dugong* 31: 133–141  
   *Trichechus* 34: 137–147  
 Diving depth, *Callorhinus* 24: 145–148  
 Wandering speed, *Erignathus* 31: 121–123  
 Gerology 7: 69–77, 8: 103–125, 9: 105–120, 11: 85–98, 13: 171–184, 14: 89–100, 14: 101–106, 15: 85–142, 17: 53–65, 17: 67–77, 18: 1–27

### Food and feeding

(See also population study)

- Baleen whales 5: 81–90, 12: 33–89, 13: 193–199, 14: 149–290, 16: 89–103, 17: 157–170, 19: 45–51, 20: 109–155, 34: 59–91

- Balaena mysticetus* 35: 1–16  
*Balaenoptera borealis* 22: 127–152, 22: 153–158, 25: 219–236, 25–144  
*B. edeni* 7: 79–85, 29: 49–58, 32: 1–23  
*Megaptera novaeangliae* 31: 69–83, 36: 41–47  
*Eschrichtius robustus* 22: 39–43  
*Physeter catodon* 5: 81–90, 11: 139–151, 11: 153–161, 18: 111–122, 28: 145–151, 32: 199–218  
*Kogia simus* 38: 171–186  
*Orcinus orca* 29: 107–111  
*Stenella coeruleoalba* 25: 265–275  
 Balaenopterids 32: 155–198, 34: 59–91  
 Larga Seal 34: 123–136  
 Antarctic fish from stomach 12: 225–233  
 Stone and alien from stomach 17: 83–91  
 Stomach content in relation to chasing time 23: 27–36  
 Energy budge 27: 61–79

### Whaling ground, environmental

- 9: 179–187, 11: 163–179, 12: 91–101, 12: 209–224, 13: 215–229, 14: 137–143, 15: 143–158, 16: 105–119, 17: 105–155, 20: 157–210, 26: 271–287, 27: 141–157, 39: 1–9, 39: 77–90  
 Statistical review 25: 105–203  
 Pack-ice limit 29: 137–141  
 Sighting  
   By boat 25: 205–217, 26: 289–302, 30: 117–178, 30: 179–195, 39: 121–150  
   By air 23: 37–60

### Parasite, scar and skin disease

- Diatom 4: 14–26, 11: 99–132, 13: 185–191, 29: 101–105, 32: 97–103  
 Cyamus 28: 153–160  
 Barnacle 22: 39–43, 37: 129–153  
 White scar 10: 69–77, 26: 145–155  
 Skin disease 11: 133–138  
 Helminthes 11: 133–138, 28: 161–166  
 Marlin spear 14: 149–290 (p.252), 22: 163–164, 25: 237–239  
 Aggressive encounter 31: 95–96  
 Parasite, *Euphausia* 30: 311–313

### Chemical study

- Enzyme, stomach 1: 3–7  
   pancreas 1: 8–10, 1: 11–14, 2: 55–60, 3: 71–78  
 Whale meat, peptone 1: 15–16  
   freshness 1: 17–26, 1: 28–30, 2: 31–34, 3: 63–70, 5: 1–4, 6: 167–176, 7: 23–30, 7: 31–36, 9: 1–10  
   tryptophane 2: 51–54  
   digestion 2: 61–66

- nutrition: 7: 51-67  
   amino acid 13: 303-317, 14: 305-326  
   methionine 3: 102-105  
 Whale blood 1: 38-40, 3: 96-101, 5: 41-47  
 Whale milk 10: 151-167  
 Vitamin 1: 31-37, 2: 35-41, 5: 53-59, 6: 187-191, 7: 47-50  
 Kitol 3: 85-88, 3: 89-91, 3: 92-95, 5: 49-51, 5: 61-69, 6: 193-198, 7: 47-50  
 Oil, gas absorption 11: 191-213, 13: 309-321  
   molecular distillation 2: 42-45, 2: 46-50  
 Oil, *Eubalaena* 17: 171-190  
   *Physeter* 3: 79-84, 7: 37-46  
   *Mirounga* 12: 235-240, 13: 323-332, 20: 213-221  
 Lipid, *Eubalaena* 18: 173-180  
 Fatty acid composition of oil,  
   *Eubalaena* 22: 165-170  
   *Neopocaena* 21: 131-135, 26: 303-306  
   *Peponocephala* 21: 137-141  
   *Platanista* 23: 141-147, 24: 117-125  
   *Inia* 25: 293-299  
   *Trichechus* 26: 307-311  
   *Krill* 28: 167-174  
 Metal, *Dugong* 31: 125-128  
 Organochlorine compounds, *Dugong* 31: 125-126  
   *Mesoplodon* 38: 91-105

### Miscellaneous

- Hybrid 34: 109-121  
 Hind limb 8: 127-132, 12: 197-208, 17: 79-81, 19: 135-136  
 Hermaphroditism 8: 215-218  
 Siamese twins 38: 165-169  
 Prenatal dead fetus 16: 47-60  
 Malformed fetus 12: 193-195, 14: 145-147, 23: 139-140, 26: 259-263  
 Jacobson's organ 33: 125-126  
 Dicephaly fetus 33: 127-129  
 Albino 13: 207-209  
 Carotinoid body color 31: 97-99  
 Deformed jaw 13: 211-212, 31: 101-103  
 Vestigial teat 25: 277-278  
 Strange organ 27: 139-140  
 Electrocardiogram, *Tursiops* 15: 159-165  
 Electric shock 6: 177-185  
 Compressive strength, dentin 23: 103-110  
 Flattened head harpoon 6: 199-207  
 Sighting, Fraser's dolphin 38: 187-188

